



A small, white Rikett logo is positioned to the left of the text "LOWER VOC'S, BETTER INDOOR AIR QUALITY".


LOWER VOC'S, **BETTER INDOOR AIR QUALITY**

ABOUT RIKETT

In 1952 , chemist Mr.Rieber and his sons , founded Rikett in Bergen-Norway on ground of their innovation of quartz flooring .


Rikett Quartz Tile (RQT) , was invented as an advanced replacement to other resilient tiles by eliminating asbestos and carbonates . Since then , for over 70 years , Rikett Quartz Tile (RQT) have been successfully supplied for over 2.0 billion square feet worldwide with under the Rikett trademark .

- 1952** ▶ Rikett was established in Norway ;
- 1999** ▶ Rikett entered USA market ;
- 2004** ▶ Rikett Asia Holding Ltd established , started service to Asian customers ;
- 2008** ▶ Rikett established resilient tile factory in Suzhou , China ;
- 2014** ▶ Rikett established resilient sheet factory in Suzhou , China ;
- 2019** ▶ Rikett established integrated factory in Handan , China .






5521




5522



5523



5524



5525



5526

PERFORMANCES

INSPECTION ITEMS	TEST METHOD	RESULT
Total thickness	GB/T 11982.2-2015	2.0mm
Roll dimensions	GB/T 11982.2-2015	2m x 20m = 40m ²
Residual indentation	GB/T 11982.2-2015	Pass
Dimensional stability	GB/T 11982.2-2015	Pass
Fire resistance	GB 8624-2012	B1
Slip resistance	DIN 51130-2014	R10 (R11)
Wear resistance	GB/T 11982.2-2015	T Level

Professional Advantage



Easy to clean



Chemical resistant agent



Good stability



Compression and tear resistance



Sound insulation and noise reduction



Wear resistance



Antibacterial

- The sample is only used as reference for color selection , not for other purposes , The actual big sample shall prevail .
- The above technical parameters are typical test results obtained under standard laboratory testing conditions for mass production products . The actual products may fluctuate according to the production batches , differentiated needs of customers , and testing institutions .
- If there is a specific requirement for a certain technical parameter , please agree with us the specific details when ordering .
- Products with special surface treatment may have different properties such as skid resistance , chemical resistance and bacteria resistance . Please contact technical personnel for details .



RIKETT PERFORMANCE PANEL (SUZHOU) CO ., LTD
Tel: 400-165-6551 (free)
Add: Taicang , Suzhou , China
Zip: 215400
Web: www.rikett.net.cn

Rikett America Holding , Inc .
Tel: 855-Rikett-7 (855-745-3887) (Toll-Free)
Add: Readington , NJ 08870-0077
Zip: 08870
Web: www.rikett.net

